



Advanced Web Search

Search with...

this boolean expression

fifo near (undo or cancel*) and
push and pop

sorted by

[Basic Search](#)

Use terms such as AND, OR,
AND NOT, NEAR

Pages with these words
will be ranked highest.

SEARCH: ☒ Worldwide ☐ U.S.

RESULTS IN: ☐ All languages ☒ [English, Spanish](#)

AltaVista found 5 results [About](#)

SMSJDK - SMS Toolkit API from NCL : Class Fifo

... to **push** and **pop** (arbitrary type) objects onto and off from the FIFO. The ... the **Fifo** buffer. void **push**(java.lang ... in the FIFO. **undo** public java.lang.Object **undo**()
Undo the last **push**. **push** ...
www.noctor.com/doc/api/ie/ncl/util/Fifo.html

SMSJDK - SMS Toolkit API from NCL : Class FiniteFifo

... to **push** and **pop** (arbitrary type) objects onto and off from the FIFO. The ...
util.**Fifo** expedite, getObjects, peek, size, **undo** Methods ... **Fifo.push**
(java.lang.Object), **Fifo.peek**() **pop** public ...
www.noctor.com/doc/api/ie/ncl/util/FiniteFifo.html

SGQueue.hxx Source File

... > g(mutex); 00099 **fifo.push**(item); 00100 } 00101 00107 virtual T **pop**()
{ 00108 ... pthread_exit(PTHREAD_CANCELED); 00115 // } 00116 T item =
fifo.front ... > g(mutex); 00166 **fifo.push**(item ...
mail.flightgear.org/simgear/doxygen/SGQu...hxx-source.html

Intro(3pthread)

... pthread_cleanup_**push** and pthread_cleanup_**pop** to place ... cleanup_**pop**()
pthread_cleanup_**push**() pthread_cond_broadcast ... classes SCHED_FIFO and
SCHED_RR only the **cancellation** points listed above ...
uw713doc.caldera.com/en/man/html.3pthrea...o.3pthread.html

D1.1

File type:PDF - [Download PDF Reader](#)

... available leafs qdiscs are: • **FIFO** a simple FIFO (it is ... A thread can install
cancellation cleanup handlers: pthread_cleanup_**push**() and
pthread_cleanup_**pop**(). The cleanup handlers are ...
canals.disca.upv.es/webs/ocera/archive/d...h6/WP1/D1.1.pdf

Extend Your Search [About](#)

Search the Yellow Pages for **fifo "near" undo "or" "and"...** with SMARTpages.com

Search the [White Pages Directory](#) on SMARTpages.com

FifoBase

... Public Methods virtual ~FifoBase() Delete the **fifo** void add(const Msg &) Add a ...
cancel an event. FifoBase() Create an empty **fifo** virtual ~FifoBase() Delete the **fifo**
void add(const Msg &) Add a ...
www.vovida.org/document/doc++/util_doc++/FifoBase.html

4.3.2 Introducción del FIFO por pantalla

4.3.2 Introducción del **FIFO** por pantalla ... bw->open_dialog_window), "Insert
FIFO", "Dillo", "Dillo: Insert **FIFO** ... if (text && *text) printf("New **FIFO**: %s ",text); if
(existe_fifo){ g ...
gsyc.escet.urjc.es/~mhernand/documentos/ipaq/node24.html • [Translate](#)

SMSJDK - SMS Toolkit API from NCL : Class FiniteFifo

... class ie.ncl.util.Fifo expedite, getObjects, peek, size, **undo** Methods inherited
from ... to be pushed See Also: **Fifo**.pop(long), **Fifo**.peek ... is empty See Also:
Fifo.push(java.lang.Object ...
www.noctor.com/doc/api/ie/ncl/util/FiniteFifo.html

Extend Your Search [About](#)

Search the Yellow Pages for **fifo** "**near**" **undo** "**or**" with SMARTpages.com

Search the [White Pages Directory](#) on SMARTpages.com

Result Pages: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next >>](#)

[Back To Top](#)

Advanced Web Search

[Help](#)

☐ Build a query with...

all of these words

this exact phrase

any of these words

and none of these words



[Basic Search](#)

☒ Search with...

this boolean expression

Use terms such as AND, OR,
AND NOT, NEAR

sorted by

Pages with these words
will be ranked highest.

SEARCH: ☒ Worldwide ☐ U.S.

RESULTS IN: ☐ All languages ☒ [English, Spanish](#)

Date:

☒ by timeframe:

☐ by date range: to (dd/mm/yy)

File type:

All file types

Location:

☒ by domain: [Domain/Country Code Index](#)

☐ only this host or URL: http://

Display:

☐ site collapse (on/off) [What is this?](#)

10 results per page



Clear Settings

Try your search on [Lycos](#)

Get the **AltaVista** Toolbar.



[Business Services](#) [Submit a Site](#) [About AltaVista](#) [Help](#)

© 2003 AltaVista



Web Images MP3/Audio Video Directory News

Family Filter: **off** Settings

Advanced Web Search

Search with...

this boolean expression

fifo near undo near push

sorted by

SEARCH: ☒ Worldwide ☐ U.S. RESULTS IN: ☐ All languages ☒ English, Spanish



[Basic Search](#)

Use terms such as AND, OR, AND NOT, NEAR

Pages with these words will be ranked highest.

AltaVista found 1 result [About](#)

[SMSJDK - SMS Toolkit API from NCL : Class Fifo](#)
... in the **FIFO**. java.lang.Object **undo()** **Undo** the last **push**. Methods inherited ... of elements in the **FIFO**. **undo** public java.lang.Object **undo()** **Undo** the last **push**. **push** public void **push**(java.lang ...
www.noctor.com/doc/api/ie/ncl/util/Fifo.html

Extend Your Search [About](#)

Search the Yellow Pages for fifo "near" undo push with SMARTpages.com

Search the [White Pages Directory](#) on SMARTpages.com

Advanced Web Search

[Help](#)

☐ Build a query with...

all of these words

this exact phrase

any of these words



[Basic Search](#)

and none of these words

☒ Search with...

this boolean expression

fifo near undo near push

sorted by

Use terms such as AND, OR, AND NOT, NEAR

Pages with these words will be ranked highest.

SEARCH: ☒ Worldwide ☐ U.S. RESULTS IN: ☐ All languages ☒ English, Spanish

Date:

☒ by timeframe:

☐ by date range: to (dd/mm/yy)

File type:

Location:

☒ by domain: [Domain/Country Code Index](#)

☐ only this host or URL: http://

Display:

☒ site collapse (on/off) [What is this?](#)

results per page

FIND

Clear Settings

Try your search on [Lycos](#)

Get the **AltaVista** Toolbar.



[Business Services](#) [Submit a Site](#) [About AltaVista](#) [Help](#)

© 2003 AltaVista

Advanced Web Search

[Help](#)

☐ Build a query with...

all of these words

this exact phrase

any of these words

and none of these words

[Basic Search](#)[Basic Search](#)

☒ Search with...

this boolean expression

fifo near (undo or cancel*) and
push and pop

Use terms such as AND, OR,
AND NOT, NEAR

sorted by

Pages with these words
will be ranked highest.

SEARCH: ☒ Worldwide ☐ U.S.

RESULTS IN: ☐ All languages ☒ English, Spanish

Date:

☒ by timeframe: [Anytime](#)

☐ by date range: to (dd/mm/yy)

File type:

[All file types](#)

Location:

☒ by domain: [Domain/Country Code Index](#)

☐ only this host or URL: http://

Display:

☐ site collapse (on/off) [What is this?](#)

[10](#) results per page

[Advanced Search](#)[Clear Settings](#)

Try your search on [Lycos](#)

Get the **AltaVista** Toolbar.

[Business Services](#)[Submit a Site](#)[About AltaVista](#)[Help](#)

© 2003 AltaVista



"from" is a very common word and was not included in your search. [\[details\]](#)

Web - Images - Groups - Directory - News

Searched the web for **undo push from stack**.

Results 1 - 10 of about 21,300. Search took 0.33 seconds.

[PS] 1 MASSACHVSETTS INSTITVTE OF TECHNOLOGY Department of Electrical ...

File Format: Adobe PostScript - [View as Text](#)

... (define (create-var value). (let ((undo (create-stack)). (redo (create-stack)))

(ask undo 'push value) (lambda (message). (case message. ((SET!). (lambda (self new). ...

www.ai.mit.edu/people/leventon/6001/99Spring/Notes/r16-w/r16-w.ps - [Similar pages](#)

Untitled

... Complete the code for create-var, below: (define (create-var value) (define undo
(create-stack)) (ask undo 'push value) (lambda (message) (case message ((SET ...

www.ai.mit.edu/people/leventon/6001/98Spring/r17/ - 10k - [Cached](#) - [Similar pages](#)

[[More results from www.ai.mit.edu](#)]

//package TableauPkg; import java.awt.*; import java.awt.event.* ...

... void change() { /* Stack tmp = new Stack(); // everything that's ... while (!redo.empty())

{ tmp.push(); // and in ... pop(); while (!tmp.empty()) undo.push(tmp.pop ...

www.student.cs.uwaterloo.ca/~jdcormie/pivotcode/TableauPivotPanel.java - 8k - [Cached](#) - [Similar pages](#)

6.001 Recitation 14

... undo-stack (make-stack))) ; could have used define instead (lambda (message) (case
message ((SET!) (lambda (self new-value) (ask undo-stack 'push value) (set! ...

graphics.lcs.mit.edu/~rcm/6001/rec14-solns.html - 12k - [Cached](#) - [Similar pages](#)

6.001 Recitation 14

... PUSH) ((POP) ((PEEK) ((CLEAR)))),define s (make-stack)) (ask s ... push 3) (ask s 'pop)
==> 3 (ask s 'push 1) (ask ... that we have in scheme, we also want an undo! ...

graphics.lcs.mit.edu/~rcm/6001/rec14.html - 9k - [Cached](#) - [Similar pages](#)

;; **undo-stack.el** --- An "undoable stack" object.

... is undefined. (trunc-stack-push (undoable-stack-a stack) (trunc-stack-pop
(undoable-stack-b stack))) ; **undo-stack.el** ends here

www.mit.edu/afs/athena/contrib/xemacs/lib/xemacs-21.1.4/lisp/undo-stack.el - 10k - [Cached](#) - [Similar pages](#)

<html> <head> </head><body><pre> ***** NAC ***** Programmer& ...

... left-shifted by X bits in Z, pop the stack twice CLR clear X STO store X to register

0 - F RCL push the stack, recall X from register 0 - F UND undo last stack ...

www.hpmuseum.org/simulate/16cnac/readme.txt - 6k - [Cached](#) - [Similar pages](#)

The undo stack does not record some changes in layer attributes

... an old problem with these scripts: some operations on > the layers are not recorded
on the **undo stack**. ... If you dirty the image, you must **push an undo** due to ...

lists.xcf.berkeley.edu/lists/gimp-developer/2000-June/002923.html - 4k - [Cached](#) - [Similar pages](#)

<html> <head> </head><body><pre><html> <head> </ ...

... **undo**-ing back before a saved version, then mutating the image (thus destroying the
redo stack). ... If your code has just dirtied the image, **push an undo** instead ...

wingimp.hp.infoseek.co.jp/gimp/docs/undo.txt - 5k - [Cached](#) - [Similar pages](#)

Undo Management

... you add directly to the **undo stack** (described in ... 0); Widget label = XmCreateLabel(rc,
"an undo test", NULL ... 0); Widget pb = XmCreatePushButton(rc, "push", NULL, 0 ...

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

[undo push from stack](#)

[Google Search](#)

[Search within results](#)

Dissatisfied with your search results? [Help us improve.](#)

Get the [Google Toolbar](#):



[Google Home](#) - [Advertise with Us](#) - [Business Solutions](#) - [Services & Tools](#) - [Jobs, Press, & Help](#)

©2003 Google



"from" is a very common word and was not included in your search. [\[details\]](#)

Web - [Images](#) - [Groups](#) - [Directory](#) - [News](#)

Searched the web for **undo push from stack**.

Results **51 - 60** of about **21,300**. Search took **0.20** seconds.

UndoManager (Fopps)

... static java.util.**Stack**, getUndoStack() Returns a copy the current contents of the **undo stack**. static boolean, isStarted(). static void, **push**(java.lang.Object ...

fopps.sourceforge.net/api/org/ fopps/share/UndoManager.html - 26k - [Cached](#) - [Similar pages](#)

Info: (zsh) Miscellaneous

... vi-**undo-change**' (unbound) (u) (unbound) **Undo** the last ... which-command' (ESC-?) (unbound) (unbound) **Push** the buffer onto the buffer **stack**, and execute ...

www.nmt.edu/tcc/swinv/zsh/3.1.5/ info/(zsh)Miscellaneous.html - 8k - [Cached](#) - [Similar pages](#)

Tom's Java Exercises: Class Hanoi1.MovementStack

... void, **push**(Hanoi1.MovementItem item) Adds an Item to the **stack**. void, step(Hanoi1.Tower from, Hanoi1.Tower to) Stores moving one disk. void, **undo**() Performs an ...

wanda.fh-aargau.ch/ia02gers/java1/ doc/Hanoi1.MovementStack.html - 11k - [Cached](#) - [Similar pages](#)

module Main where import IO import Stacks import States import ...

... sa) a) pushS x = command (**push** x) x -- where **push** is the **Stack** operation yes ... let (State s) = do command ((+1):) () command ((*3):) () **undo**() return "Done ...

www.dcs.shef.ac.uk/~matt/teaching/ 03/com2020/code/Monads/Main.hs - 9k - [Cached](#) - [Similar pages](#)

Patch to implement #pragma pack(**push**,<n>) for i386

... ignores alignments > 4. */ + maximum_field_alignment = 0; + } + else + alignment_stack->num_pushes ++; + } **Undo** a **push** of an alignment onto the **stack**. ...

gcc.gnu.org/ml/gcc-patches/1998-09/msg00152.html - 12k - [Cached](#) - [Similar pages](#)

[[More results from gcc.gnu.org](#)]

Geocrawler.com - mozilla-editor - Questions regarding Transaction ...

... When undoing, pop the top transaction from the **Undo stack**, do **undo** action then **push** the transaction to the Redo **stack**. Why flush out the Redo **stack** ...

www.geocrawler.com/archives/3/140/1999/5/0/2166182/ - 15k - [Cached](#) - [Similar pages](#)

[[More results from www.geocrawler.com](#)]

[PDF] Microsoft PowerPoint - Retrospective on Prehofer s.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... S = { **Stack**, Counter, Lock, Bound, **Undo** ...} Look at ... implemented in AHEAD 5 MyClass1 = **Stack** class StackOfChar ... void empty() { s = ""; } void **push**(char a ...

www.cs.utexas.edu/users/dsb/AHEAD-F03/prehofer.pdf - Oct 28, 2003 - [Similar pages](#)

CS227 handout #10

... popped value to the top of the **stack** { if (!myUndoOK) throw new RuntimeException("Attempt to **undo** pop not preceded by pop"); **push**(myLastPop); } private boolean ...

www.cs.arizona.edu/classes/cs330/spr99/10.html - 5k - [Cached](#) - [Similar pages](#)

[PDF] Turtle-Geometrie Rekursion **Stack**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Command { private **Stack** commands; public Sequence() {commands = new **Stack**();} public void add(Command c) {commands.**push**(c);} public void **undo**() {if (!commands ...


www.ifi.unizh.ch/study/Vorlesungen/eprog/k11.pdf - [Similar pages](#)

[PDF] Stacks Outline and Reading Abstract Data Types (ADTs) The **Stack** ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... loaded plate dispenser Main **stack** operations: ϕ **push**(object): inserts ... of pop or top
on an empty **stack** throws an ... history in a Web browser ϕ **Undo** sequence in a ...

java.datastructures.net/presentations/Stacks.pdf - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [Next](#)

[undo push from stack](#)

[Google Search](#)

[Search within results](#)

[Google Home](#) - [Advertise with Us](#) - [Business Solutions](#) - [Services & Tools](#) - [Jobs, Press, & Help](#)

©2003 Google